

**From:** [McKenna, James \(Jim\)](#)  
**To:** [Eric Blischke/R10/USEPA/US@EPA](#); [ricka@bes.ci.portland.or.us](#); [rjw@nwnatural.com](#)  
**Cc:** [Lisa Saban](#); [kpine@integral-corp.com](#); [Chip Humphrey/R10/USEPA/US@EPA](#)  
**Subject:** RE: Extension request for SW SL table  
**Date:** 04/28/2006 11:17 AM

---

Thanks Eric, and yes, I agree that it is important we discuss the greater schedule issues on May 10. Jim.

-----Original Message-----

From: Blischke.Eric@epamail.epa.gov  
[mailto:Blischke.Eric@epamail.epa.gov]  
Sent: Friday, April 28, 2006 11:09 AM  
To: McKenna, James (Jim); [ricka@bes.ci.portland.or.us](#); [rjw@nwnatural.com](#)  
Cc: Lisa Saban; [kpine@integral-corp.com](#); [Humphrey.Chip@epamail.epa.gov](#)  
Subject: Re: Extension request for SW SL table

EPA grants the request to extend the submittal date of the revised Ecological Surface Water Screening Level Table to May 26, 2006. EPA recognizes the need to incorporate the additional chemicals as described below. However, as we have discussed during some of our management team meetings, we need to develop a schedule for the submittal (and agency review) of various documents that considers impacts on the overall project schedule and recognizes the need to prioritize the production and review of site documents. This may be a good topic for our May 10th management team meeting.

Eric

Lisa Saban  
<[lisas@windwarde  
nv.com](mailto:lisas@windwarde nv.com)>  
04/27/2006 03:36  
PM

To  
cc  
Subject  
Extension request for SW SL table

Eric-per our conversation earlier this week, we are requesting an extension for the table of SW SL to May 26th. The reason is we have new TZW and SW, and with the chronic values, we have new chemicals we need to derive SL for. It will take some time to do this. We are trying to get the actual response to comments to you tomorrow, pending exec approval. Lisa  
Lisa Saban  
Windward Environmental, LLC